

From: draum@bruningbank.com
To: [Director - FASB](#)
Subject: Comments on No. 1810-100, "Accounting for Financial Instruments and Revisions to the Accounting for Derivative Instruments and Hedging Activities" Exposure Draft
Date: Monday, September 20, 2010 8:38:01 AM

Darrell Raum
1035 Rd 6000
Hebrin, NE 68370-3049

September 20, 2010

Russell Golden
Technical Director, Financial Accounting Standards Board
401 Merritt 7
P.O. Box 5116
Norwalk, CT 06856-5116

Dear Mr. Golden:

Thank you for the opportunity to comment on FASB's Exposure Draft: Accounting for Financial Instruments and Revisions to the Accounting for Derivative Instruments and Hedging Activities.

The accounting that would result from this proposal would greatly misrepresent the financial condition of our bank and other community banks.

Community banks fund their operations by taking deposits and holding loans for the long term. Most financial instruments this bank holds are not readily marketable.

We oppose the proposed accounting treatment for core deposits which calls for them to be regularly remeasured using a present value calculation. This would not provide accurate information and the calculations would be expensive and time consuming, particularly for smaller banks like ours that have limited staff resources to conduct the analysis.

Fair value measurements will not provide a better understanding of the values of illiquid agricultural loans held by small banks in rural areas such as this bank.

Community banks such as this bank create and hold small business loans for which there is no active market; it would be very difficult and costly to mark them to market.

These accounting changes will increase the volatility of bank balance sheets, forcing them to face higher capital requirements or decrease lending at a time when regulators are calling for more capital and our economy needs more, not less, credit availability.

Again, we thank your for the opportunity to comment on this proposal.

Sincerely,

Darrell Raum

402-353-2555